# Community Conversation About Fentanyl and Other Drugs

FCPS

EXCELLENCE EQUITY & OPPORTUNITY

## **Cayden's story**

**The Foster Family** 

Sean Foster Caden's Father

Caleb Ford and Haley Crowder Friends of Cayden What Everyone Should Know

#### **Dawn Brower**

#### Centreville High School Substance Abuse Prevention Specialist

# **SUBSTANCE ABUSE PREVENTION SPECIALISTS IN FCPS**

- **Prevention** (education, awareness, skill-building) and **clinical support** across MTSS.
- **Presentations** to students, parents, staff, and other community members with the most accurate, up-to-date information (including medical, physical, social, and psychological consequences) on substance use, addiction, and treatment.
- Individual/group counseling interventions, assessed by the SAP Specialists (or "SAPS") via a brief screening tool & review of other relevant information
- Determines appropriate level of intervention across continuum: education/awareness → brief counseling → referral to community providers.

# WHAT IS FENTANYL?

•Fentanyl is a highly addictive synthetic opioid that is 50X more potent than heroin and 100X more potent than morphine

•Significant increase in fentanyl in counterfeit pills resembling prescription pills such as Percocet/Xanax

•DEA lab testing reveals 7 out of 10 pills with fentanyl contain a lethal dose (2023)

•Fentanyl also is used as a substitute or cutting agent in other drugs like cocaine and heroin

• Just 2mg of fentanyl, the small amount that fits on the tip of a pencil, is considered a potentially deadly dose (DEA.gov)

Fentanyl is a legally prescribed medication, what is being used by our youth is illicitly manufacturer.





**Rainbow Fentanyl** 







# **RISK AND PROTECTIVE FACTORS**

#### **Risk Factors**

Risk factors can be biological, psychological, and social and are associated with a higher likelihood of negative outcomes.



#### **Protective Factors**

Protective factors are associated with a lower likelihood of negative outcomes or that reduce the impact of a risk factor.

Individual, Family, Community

# SURVEY HIGHLIGHTS: PROTECTIVE FACTORS




# **HAVING A CONVERSATION**


Focus on:

- Hearing from your child
- Sharing facts, without using scare tactics
- Identifying trusted adults
- Building connectedness to others through school, the community, and with family and friends
- Developing healthy coping skills
- Developing a plan for when there is a need to resist using.

## THREE TO SUCCEED ASSET GRAPH-MENTAL HEALTH



## THREE TO SUCCEED ASSET GRAPH FOR FAIRFAX COUNTY YOUTH-SUBSTANCE USE




# SURVEY HIGHLIGHTS: SUBSTANCE USE

92% OF FAIRFAX COUNTY YOUTH REPORTED NO ALCOHOL USE IN THE PAST MONTH


**90%** DF FAIRFAX COUNTY YOUTH REPORTED NO OTHER SUBSTANCE USE IN THE PAST MONTH

#### RATES OF SUBSTANCE USE TRENDING DOWN

The percentage of students reporting the use of substances have generally declined over the past ten years.



## **STUDENT SUBSTANCE MISUSE 2022**





# **COLLABORATION WITH SCHOOL STAFF**



#### School Counselors

#### School Psychologists

#### School Social Workers

# **2**





Substance Abuse Prevention Specialists



# **COMMUNITY PARTNERSHIPS AND RESOURCES**

- Hazel Health
- Neighborhood and Community Services
  - Basic needs and services for families
  - Programs and services for kids and teens
- Healthy Minds Fairfax-Family Support Services
- Fairfax-Falls Church Community Services Board
- Connectedness through faith based organizations

# **BUILDING CONNECTEDNESS-AFTER SCHOOL OPPORTUNITIES**

- Clubs and Activities at all high schools
  - Our Minds Matter
- Middle School After School
  Program
  - All Middle Schools
  - Monday-Thursday, on site
  - o **2:15-4:45**





# **ADDITIONAL FCPS RESOURCES**

Office of Intervention and Prevention Services

- Director, Michael Axler, Psy.D.
- 571-423-4020
- Substance Abuse Prevention Specialists
- School Counseling
- School Psychology

School Social Work

### **Rapid Naloxone (NARCAN) Educational Training**

**Raymond Paden** 

Fairfax Community Service Board (REVIVE! Kit Training)

# What Does an Opioid Overdose Look Like?



Not Responding Doesn't move and can't be woken

**Blue Lips & Nails** 



KNOW THE SIGNS

Slow or Not Breathing A breath every 5 seconds is normal



**Cold or Clammy Skin** 



FAIRFAXCOUNTY

Making Sounds Chocking, gurgling sounds, or snoring




**Tiny Pupils** 


source: kingcoul

**Opioid Overdose Triad:** 

- Pinpoint Pupils
- Unresponsive to any stimuli
- Respiratory depression
- Clammy, pale skin

#### Raymond Paden, CSB Behavioral Prevention Program Manager







# **Narcan Nasal Spray**

#### HOW TO USE NARCAN® NASAL SPRAY

In opioid overdose emergencies, **recognizing symptoms** and taking prompt action is critical to potentially saving a life. If you suspect an opioid overdose, administer NARCAN® Nasal Spray and get emergency medical assistance right away.

#### KEY STEPS TO ADMINISTERING NARCAN® NASAL SPRAY:



PEEL

Peel back the package to remove the device. Hold the device with your thumb on the bottom of the plunger and 2 fingers on the nozzle.

#### PLACE



Place and hold the tip of the nozzle in either nostril until your fingers touch the bottom of the patient's nose. PRESS



Press the plunger firmly to release the dose into the patient's nose.



#### TWO (2) Doses in each box

# Safety and Storage of Naloxone

• Serious side effects from naloxone use are very rare.

Using naloxone during an overdose far outweighs any risk of side effects. If the cause of the unconsciousness is uncertain, giving naloxone is not likely to cause further harm to the person. Reported side effects are often related to acute opioid withdrawal.

- Naloxone will not reverse overdoses from other drugs, such as alcohol, benzodiazepines, cocaine, or amphetamines.
- Naloxone has no abuse potential.
- Naloxone has the same dose for an adult and a child.
- Naloxone has a shelf life of approximately 3 years (check the label on your product.) Store between 59°F to 77°F.
- Do not store naloxone in extreme temperatures (the car on hot summer days or during the winter). Naloxone may be stored for short periods up to 104°F.
- Only discard the naloxone once you have a replacement for it. If you don't replace naloxone before it is needed, it is better to use it, even if it hasn't been stored properly.

## **Q&A Session**

- Wait for your turn to speak at the microphone.
- Please remain in your seat if not asking a question at microphone.
- Keep questions and comments brief to make time for everyone.
- If your question or comment involves a specific student, please ask for a notecard.
- Do not profanity or threatening language.



# **Thank You**

Please depart promptly and orderly.

#### **Your Voice Matters**

Share your feedback using the online feedback form

